





11





# Contents

## **BLACK RAT 4WD**

BLACK RAT – NYLON RECOVERY STRAPS	4
BLACK RAT – TREE TRUNK PROTECTORS	5
BLACK RAT – SAFETY RECOVERY KIT	6
BLACK RAT - SPARE BAGS	7
BLACK RAT – WIRE ROPE WINCH	7
BLACK RAT - CABLE PULLER	8
BLACK RAT - OFF ROAD BLOCK	8
BLACK RAT - RECOVERY SHOVEL	9
BLACK RAT - EQUALISING STRAPS	10
BLACK RAT - BOW SHACKLES	10
BLACK RAT - TOWING ASSEMBLY	11
BLACK RAT – TOWING KIT	12
BLACK RAT - RATCHET ASSEMBLY	13
BLACK RAT – GRADE 70 LASHING CHAIN	15
GRUNT - 12V AIR COMPRESSOR	16



#### Black Rat 4WD Nylon Heavy Duty Recovery (Snatch-em) Strap Kit



Specifically designed to recover your vehicle when bogged. This heavy duty nylon strap is 9 metres long x 60mm wide complete with reinforced eyes. It has a 20% stretch factor for ease of vehicle recovery with a minimum breaking strain "MBS" of 9,000 kgs, also available "MBS" 12,000kgs.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342304BHK	Each Kit contains, 9m x 60mm Heavy Duty Snatch Strap, Leather Safety Gloves, 2 Bow Shackles 16 x 19mm 3.2t W.L.L. & Carry Bag.	9000	4.2	Each	1
342322BHK	Each Kit contains, 9m x 75mm Heavy Duty Snatch Strap w/- red overload indicator fibre, Leather Safety Gloves, 2 Bow Shackles 16 x 22mm 4.7t W.L.L. & Carry Bag.	12000	4.4	Each	1



#### Black Rat 4WD Nylon Heavy Duty Recovery (Snatch-em) Strap

c/w Red overload indicator fibres

Code	Description	M.B.S.	Weight (Kg)	UOM	Pack Qty
342319B	9m x 60mm Heavy Duty	9000	2.38	Each	8
342322B	9m x 75mm Heavy Duty	12000	3.4	Each	8
342316	9m x 60mm Heavy Duty 2 Ply	16000	3.9	Each	1
342318F	9m x 60mm Heavy Duty 4 Ply	30000	7.7	Each	1







#### Black Rat 4WD Polyester Tree Trunk Protector Strap with Carry Bag



Black Rats Tree Trunk Protector is designed for tying off or anchoring a vehicle to a tree. It is used when attempting to reverse, steer up or pull out of an awkward position. The 3 metres long x 75mm wide polyester webbing has a minimum breaking strain "MBS" of 12,000 kgs.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342312B	3m x 75mm Tree Trunk Protector	12000	1.5	Each	8



#### **Black Rat 4WD Polyester Winch Extension Straps**



Black Rat Extension Straps are designed for extending winch cable when the cable is too short. They are made from 50mm black polyester webbing and have a minimum breaking strain "MBS" of 4,000 kgs. They have yellow reinforced eyes, protection at both ends and are available in 10, 20 & 30 metre lengths.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342305B	10m x 50mm Winch Extension Strap	4000	1.35	Each	1
342306B	20m x 50mm Winch Extension Strap	4000	2.47	Each	1
342308B	30m x 50mm Winch Extension Strap	4000	3.42	Each	1





#### **Black Rat 4WD Safety Recovery Kit**

Code	Description	Weight (Kg)	UOM	Pack Qty
342350BK	4WD Safety Recovery Kit	11.6	Each	1

#### The kit contains:

- > 1 x 4WD recovery bag complete with reflective triangle
- > 1 x 9 metre x 60mm heavy duty snatch rope
- > 1 x Heavy duty off road block to suit 11 mm maximum wire rope
- > 1 x 3 metre x 75mm tree truck protector with 12,000kgs MBS
- > 1 x 5 metre x 25mm heavy duty ratchet tie down assembly lashing capacity LC 500 kg to AS/NZS 4380
- > 1 x 16 x 19mm screw pin bow grade S shackle, W.L.L. 3.2T
- > 1 x 19 x 22mm screw pin bow grade S shackle, W.L.L. 4.7T
- 1 x Open mesh drying bag
- > 1 x Pair of riggers leather gloves







# SECTION

#### Black Rat 4WD Open Weave Mesh Drying Bag

Code		Weight (Kg)	UOM	Pack Qty
342351B	4WD Open Weave Mesh Drying Bag	0.3	Each	12



#### **Black Rat 4WD Safety Recovery Bag**

Code	Description	Weight (Kg)	UOM	Pack Qty
342350B	4WD Safety Recovery Bag	0.9	Each	25



#### Black Rat 4WD Recovery Hoist c/w Wire Rope

Complies to AS 1418.2



Beaver's light weight Recovery Hoist is manufactured from robust steel and is simple and safe to use in all recovery situations. These units are supplied in capacities of 800 & 1,600 kgs and come complete with; 20 metres of wire rope, wire rope reel, eye safety sling hooks, extendable handle, spare shear pins and are manufactured to AS 1418.2.

Code	Description	Weight (Kg)	UOM	Pack Qty
519508B	800kg Capacity, supplied with 20m of 8mm wire rope, c/w safety hook. Other lengths available on request	14	Each	Each
519516B	1600kg Capacity, supplied with 20m of 11mm wire rope, c/w safety hook. Other lengths available on request	26	Each	Each





#### Black Rat 4WD 2 TONNE Cable Puller



This lightweight multi-purpose wire rope puller is a great asset when off road. It has all steel construction with drop forged hooks and comes complete with safety latches. One hook has a built-in sheave block for ease of recovery. It comes with 1.5 metres of 5mm galvanised wire rope with a 2 tonne pulling capacity.

Code	Description	Weight (Kg)	UOM	Pack Qty
341002B	2 TONNE Cable Puller c/w 1.5m Wire Rope	3.8	Each	4

### Black Rat 4WD Off Road Block c/w Vinyl Carry Bag



Specially designed for off-road use, a robust sheave block that has two heavy duty steel cover plates, zinc passivated (gold) finish that allows for an easy insertion of wire rope on to the sheaves. Sheaves are made from high grade cast iron which are precision machine grooved to accept wire rope to a maximum of 11mm. The off-road block comes complete with a pressure

grease lubrication bearing on one side and an "R" type retaining pin, packed in a vinyl storage pouch. Minimum breaking strain "MBS" of 8,000 kgs.

Code	Description	Weight (Kg)	UOM	Pack Qty
514125B	Off Road Block with Carry bag, MBS 8,000kg	3.8	Each	1



#### Black Rat 4WD Recovery Folding Shovel with Handy Carry Pouch



This compact, light weight shovel is made from steel for durability with a serrated blade for tough jobs. It also has a knurled collar to easily secure the blades in position. It comes with a carry pouch and measures 425mm x 152mm in folded position.

Code		Weight (Kg)	UOM	Pack Qty
519507B	Folding Shovel c/w Carry Pouch	1.1	Each	20





# Black Rat 4WD Polyester Equalising Straps c/w G70 Eye Sling Hooks & Latches each end



4 metre x 50mm equalising strap, black polyester webbing with minimum breaking strain "MBS" of 4,000 kgs. Complete with Grade 70 high tensile safety hooks at each end, to be used on both front recovery points of the vehicle to equalise the forces on the chassis when the use of a snatch strap or winch is required.

Code		M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
519503B	4m x 50mm Equalising Straps	4000	1.3	Each	1



#### Black Rat 4WD Rated Bow Shackles (Boxed)



When you need to ensure reliability, use only AS 2741 Grade 'S' 4WD Bow Shackles. These shackles are individually tested and stamped with the working load limit for safety and conform to Australian Standards AS 2741. Common sizes are 16 x 19mm (W.L.L 3.2 tonne) and 19 x 22mm (W.L.L 4.7 tonne). Other sizes are available. Full specification sheet available. Packaged in cardboard cartons of 2 per pack for 16 x 19mm and 1 per pack for 19 x 22mm.

Code	Description	W.L.L. (tonnes)	Weight (Kg)	UOM	Pack Qty
342216BK	16 x 19mm 3.2t	3.2	0.65	Each	2
342219BK	19 x 22mm 4.7t	4.7	1.115	Each	1







#### **Black Rat 4WD Towing Assembly**



This handy accessory on your vehicle allows for easy coupling of recovery equipment. These hooks are manufactured from forged steel and come in a black or chrome finish with nuts, bolts and plate to suit standard tow bars. Rated to "MBS" 4,545 kgs.

Code		Weight (Kg)	UOM	Pack Qty
519501B	Towing Hook Assembly (BLACK) MBS 4,545kg	1.015	Each	6
519502B	Towing Hook Assembly (CHROME) MBS 4,545kg	1.045	Each	6



4WD Tow Hook Assembly



#### **Black Rat 4WD Towing Kit**



With safety and ease of handling in mind, Black Rat have produced a 4 metre polyester (snatch-em) towing strap that has built-in, an elasticised retention cord which incorporates the safety technology of polyester load bearing fibres that are traditionally incorporated in round sling manufacture and comes complete with black reinforced

eye protection at each end. In the event of the strap being pulled to its breaking strain, the inner load bearing fibres will bunch up and not spring back, therefore eliminating the sling shot effect that would normally occur in a nylon snatch-em strap. It has the advantages of having a 30% stretch factor of its original length, which enables the user to slowly pull/move a vehicle out of a problem situation. It has a minimum breaking strain "MBS" of 12,000 kgs. Supplied in vinyl carry bag.

Code	Description	M.B.S. (Kg)	Weight (Kg)	UOM	Pack Qty
342309BK	4m Towing Kit c/w Carry Bag	12000	3.5	Each	1







#### **Black Rat Ratchet Assembly**



When lashing down loads in a 4WD situation, it is important to use heavy duty reliable tie downs. Black Rat ratchet tie downs are fully tested with polyester webbing, reinforced eyes, steel hooks & keepers and two protective wear sleeves. They comply to the Australian standards AS/NZS 4380. Standard sizes are 5m x 25mm (lashing capacity) LC 500 kgs and 6m x 35mm (lashing capacity) LC 1,500 kgs.

# Black Rat 4WD Heavy Duty 5m x 25mm Ratchet Tiedown Assembly with Hook & Keeper & Protective Sleeves

Code	Description	Weight (Kg)	UOM	Pack Qty
349025BRB	Heavy Duty Ratchet With New Rubber Grip. Fitted with 5m x 25mm webbing and Hook & Keeper c/w Protective Sleeves. LC 500 Kg	0.85	Each	6
349025BRSB	Heavy Duty Ratchet With New Rubber Grip. Fitted with 4m x 25mm webbing and Black Vinyl coated. "S" Hooks c/w Protective Sleeves. LC 450 Kg	0.8	Each	6



# Black Rat 4WD Heavy Duty 5m x 25mm Ratchet Tiedown Assembly with Hook & Keeper & Protective Sleeves

Code	Description	Weight (Kg)	UOM	Pack Qty
349035BRB	Heavy Duty Ratchet With New Rubber Grip Fitted with 6m x 35mm webbing and Hook & Keeper c/w Protective Sleeves. L.C. 1500 Kg	1.8	Each	5
349035BRSB	Heavy Duty Ratchet With New Rubber Grip. Fitted with 6m x 35mm webbing and Black Vinyl coated. "S" Hooks c/w Protective Sleeves. L.C. 1000 Kg	1.5	Each	6





#### 4WD Grade 70 Combo Drag Chain Kit with Lug Link, Grab & Slip Hooks



This is one of the products most used in 4WD vehicles. To give you the full range of uses, the Black Rat G70 combo drag kit comes supplied with three fittings - lug link, grab hook and slip hook complete with chain in a handy bucket. The chain is 5 metres long, size 8mm, manufactured from Grade 70 high tensile steel, lashing capacity LC 3,800 kgs that is tested to Australian standard AS/NZS 4344.



Code	Description	Chain Size mm	Chain Length mtr	Chain Part Number	Grab Hook Part Number	Lug Link Part Number	Slip Hook Part Number	Lashing Capacity	Weight (Kg)	UOM
412007BK	5m x 7mm with Lug Link, Grab & Slip Hooks	7.1	5	145007	354008	353008	356008	3000kg	6.69	Each
412008BK	5m x 8mm with Lug Link, Grab & Slip Hooks	8	5	145008	354008	353008	356008	3800kg	8.39	Each
412010BK	5m x 10mm with Lug Link, Grab & Slip Hooks	10	5	145010	354010	353010	356010	6000kg	12.8	Each



## 4WD Grade 70 Drag Chain with Lug Link & Grab Hook

Code	Description	Chain Size mm	Chain Length mtr	Chain Part Number	Grab Hook Part Number	Lug Link Part Number		Weight (Kg)	UOM
410007BK	5m x 7mm with Lug Link & Grab Hook	7.1	5	145007	354008	353008	3000kg	6.33	Each
410008BK	5m x 8mm with Lug Link & Grab Hook	8	5	145008	354008	353008	3800kg	8.03	Each
410010BK	5m x 10mm with Lug Link & Grab Hook	10	5	145010	354010	353010	6000kg	12.2	Each







# 4WD Grade 70 Drag Chain with Lug Link & Slip Hook

Code	Description	Chain Size mm	Chain Length mtr	Chain Part Number	Grab Hook Part Number	Lug Link Part Number	Lashing Capacity	Weight (Kg)	UOM
411007BK	5m x 7mm with Lug Link & Slip Hook	7.1	5	145007	353008	356008	3000kg	6.31	Each
411008BK	5m x 8mm with Lug Link & Slip Hook	8	5	145008	353008	356008	3800kg	8.01	Each
411010BK	5m x 10mm with Lug Link & Slip Hook	10	5	145010	353010	356010	6000kg	12.3	Each









## **Grunt 12v Air Compressor**

Code	Description	Cylinder mm			Current Amps	Air Flow L/Min	Battery	PU Hose mtr	Weight (Kg)	UOM	Pack Carton
GC300	12V Air Compressor- Max 72 litres/ min. Heavy Duty	40	12V	150	30	72	2.4	5	4.75	Each	4
GC400	12V Air Compressor- Max 85 litres/ min. Twin Cylinder	2*30	12V	100-150	30	84	2.4	5	4.5	Each	4





## **PRODUCT REFERENCE GUIDE**

Part Number	Page Number
341002B	8
342216BK	10
342219BK	10
342304BHK	4
342305B	5
342306B	5
342308B	5
342309BK	12
342312B	5
342316	4
342318F	4

Part Number	Page Number
342319B	4
342322B	4
342322BHK	4
342350B	7
342350BK	6
342351B	7
349025BRB	13
349025BRSB	13
349035BRB	13
349035BRSB	13
410007BK	15

Part Number	Page Number
410008BK	15
410010BK	15
411007BK	15
411008BK	15
411010BK	15
412007BK	14
412008BK	14
412010BK	14
514125B	8
519501B	11
519502B	11

Part Number	Page Number
519503B	10
519507B	9
519508B	7
519516B	7
GC300	16
GC400	16





## **NOTES**











#### NATIONAL HEAD OFFICE NEW SOUTH WALES

Email: sydneysales@beaver.com.au National Sales: 1300 783 606 Phone: (02) 8882 5700 Fax: (02) 8882 5899

55 Sarah Andrews Close Erskine Park NSW 2759 PO Box 5001 St Clair NSW 2759

#### **WESTERN AUSTRALIA**

Email: perthsales@beaver.com.au Ph: (02) 8882 5700

#### VICTORIA/ TASMANIA

Email: melbournesales@beaver.com.au Ph: (02) 8882 5700

#### SOUTH AUSTRALIA/ NORTHERN TERRITORY

Email: adelaidesales@beaver.com.au Ph: (08) 8244 3555 Fax: (08) 8244 3533

#### QUEENSLAND

Email: brisbanesales@beaver.com.au Ph: (07) 3279 1100 Fax: (07) 3279 1381